



PENSTICK®Classic series 5000 is a high-quality cling vinyl film for UV offset printing. **PENSTICK®Classic** has a thickness of 150 µm and is available on different liners. The **PENSTICK®Classic** 6000 Series is a Phthalat-free variant that complies with EC Regulations for toys and childcare articles.

Characteristics

- adheres to smooth, glossy surfaces without adhesive
- removable without residues
- reusable
- good UV resistance

Applications

- advertising
- decoration
- sticker

Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
PENSTICK®Classic 5152 CL	clear glossy	screen, UV offset, thermal transfer	70 cm x 100 cm special formats on request	high-quality cling vinyl film; Castline liner – castcoated board 135 g/m ²
PENSTICK®Classic 5152 WH	white glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film; Castline liner – castcoated board 135 g/m ²
PENSTICK®Classic 5155 CL	clear glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film; Triplan liner – PE-coated board 215 g/m ²
PENSTICK®Classic 5155 CL/BU	clear glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film; Triplan liner – PE-coated board 215 g/m ² with blue top side
PENSTICK®Classic 5155 CM	clear mat	screen, UV offset, thermal transfer		high-quality cling vinyl film; Castline liner – castcoated board 135 g/m ²
PENSTICK®Classic 5155 WH	white glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film; Triplan liner – PE-coated board 215 g/m ²
PENSTICK®Classic 5155 WM	white mat	screen, UV offset, thermal transfer		high-quality cling vinyl film; Triplan liner – PE-coated board 215 g/m ²
PENSTICK®Classic 6155 CL	clear glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film without Phthal- ates; Triplan liner – PE-coated board 215 g/m ²
PENSTICK®Classic 6155 WH	white glossy	screen, UV offset, thermal transfer		high-quality cling vinyl film without Phthal- ates; Triplan liner – PE-coated board 215 g/m ²



PENSTICK®SuperClear is a highly transparent cling vinyl film. **PENSTICK®SuperClear** has no visible flow lines and thus meets high expectations on transparency. Due to the evenness of the film printability is very good, especially in UV offset printing. **PENSTICK®SuperClear** is Phthalat-free and conforms to EC Regulations concerning toys and childcare articles.

Characteristics

-  premium transparency
-  very good printability
-  Phthalate-free
-  adheres to smooth and glossy surfaces without adhesives
-  removable without residues
-  reusable
-  good UV resistance

Applications

-  advertising
-  decoration
-  sticker
-  toys

Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
PENSTICK® <i>SuperClear</i> 4153 SCL	clear glossy	screen, UV offset, hot stamping, thermal transfer	70 cm x 100 cm	very transparent premium cling vinyl film; Phthalat-free; Castline liner – castcoated board 180 g/m ²
PENSTICK® <i>SuperClear</i> 4153 SWH	white glossy	screen, UV offset, hot stamping, thermal transfer	special formats on request	very transparent premium cling vinyl film; Phthalat-free; Castline liner – castcoated board 180 g/m ²



PE-CLING*Classic* is a Polyethylene cling film. **PE-CLING***Classic* is top coated and has a thickness of 110 µm. **PE-CLING***Classic* is an alternative to cling vinyl cling films. **PE-CLING***Classic* is printable in screen and UV offset printing.

Characteristics

- adheres to smooth, glossy surfaces without adhesive
- removable without residues
- reusable
- good UV resistance

Applications

- advertising
- decoration
- sticker

Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
PE-CLING <i>Classic</i> 1125 CL	clear glossy	screen, UV offset	100 cm x 70 cm special formats on request	Polyethylene cling film with top coating; TriPlan liner – PE-coated board 215 g/m ²



PENSTICK®Flex is a laminate of PET and a S-PVC cling layer. **PENSTICK®Flex** has a high dimension stability, which makes it well suited for large format applications. To print on **PENSTICK®Flex** you can choose between screen, UV offset and UV digital printing, whatever suits best the requirements of the print job.

Characteristics

- adheres to smooth, glossy surfaces without adhesive
- easy to apply
- removable without residues
- good printability
- high dimension stability
- reusable
- good UV-resistance

Applications

- large format advertising
- large format decorations

Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
PENSTICK®Flex 4319 CL	clear glossy	screen, UV offset, UV inkjet	70 cm x 100 cm	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm
PENSTICK®Flex 4319 WH	white glossy	screen, UV offset, UV inkjet	special formats on request	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm