



**PENSTICK**<sup>®</sup>*Sign* is a cling vinyl film. **PENSTICK**<sup>®</sup>*Sign* adheres without adhesive to smooth glossy surfaces like e.g. glass. Thus **PENSTICK**<sup>®</sup>*Sign* is easy to apply and remove, without leaving residues. **PENSTICK**<sup>®</sup>*Sign* comes on a cast-coated board with 180 g/m<sup>2</sup> which makes it easy to plot. **PENSTICK**<sup>®</sup>*Sign* is available in a variety of opaque and translucent colours, white, black, transparent as well as silver and gold.

## Characteristics

- adheres without adhesive to smooth, glossy surfaces
- easy to remove
- leaves no residues
- reusable
- good plotting characteristics
- good UV-resistance

## Applications

- decoration
- advertising

### Product Overview Short Rolls

Product	Colours / Surface	Printability	Formats	Description			
PENSTICK® Sign	<u>opaque glossy:</u>	screen, UV inkjet	100 cm x 25 m	cling vinyl film 150 µm; Phthalate-free Castline – cast-coated board 180 g/m <sup>2</sup>			
	white – 916						
	black – 905						
	yellow – 121						
	red – 320						
	green – 624						
	blue – 505						
	brown – 815						
	<u>transparent glossy:</u>				screen, UV inkjet	100 cm x 25 m	cling vinyl film 150 µm; Phthalate-free Castline – cast-coated board 180 g/m <sup>2</sup>
	transparent – 900						
	yellow – 103						
	orange - 208						
	light red – 319						
	dark red – 301						
	violett – 403						
	light green – 618	screen, UV inkjet	100 cm x 25 m	cling vinyl film 150 µm; Phthalate-free Castline – cast-coated board 180 g/m <sup>2</sup>			
	dark green – 605						
	light blue – 515						
	dark blue – 517						
	grey – 731						
	brown – 812	screen, UV inkjet	100 cm x 25 m	cling vinyl film 150 µm; Phthalate-free Castline – cast-coated board 180 g/m <sup>2</sup>			
smoke – 825							
gold – 1104							
silver – 1702							



**PENSTICK<sup>®</sup>Flex** is a laminate of PET and a S-PVC cling layer. **PENSTICK<sup>®</sup>Flex** is dimensionally stable, which makes it well suited for large format applications. To print on **PENSTICK<sup>®</sup>Flex** you can choose between screen- and UV-digital-printing, whatever suits best the requirements of the print job.

### Characteristics

- adheres to smooth, glossy surfaces without adhesive
- easy to apply
- removable without residues
- good printability
- dimensionally stable
- reusable
- good UV-resistance

### Applications

- large format advertising
- large format decorations

## Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK® Flex</b> 4319 CL	clear glossy	screen, UV inkjet	70 cm x 100 cm	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm
<b>PENSTICK® Flex</b> 4319 WH	white glossy	screen, UV inkjet		laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm

## Product Overview Short Rolls

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK® Flex</b> 4319 CL	clear glossy	screen, UV inkjet	100 cm x 25 m	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm
<b>PENSTICK® Flex</b> 4319 WH	white glossy	screen, UV inkjet	140 cm x 25 m	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm



**PENSTICK**<sup>®</sup>*Etch* is an embossed film that looks like etched glass.

**PENSTICK**<sup>®</sup>*Etch* is a cling vinyl film with a thickness of 150 µm. **PENSTICK**<sup>®</sup>*Etch* is printable and could be plotted.

### Characteristics

- adheres without adhesive to smooth, glossy surfaces
- easy to remove
- leaves no residues
- reusable
- good plotting and printing characteristics
- good UV-resistance

### Applications

- temporary or permanent blinds, also with advertising (e.g. logos)
- decoration

**Product Overview**

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK</b> <sup>®</sup> <i>Etch</i>	clear matt	UV inkjet, solvent inkjet, screen	100 cm x 25 m	cling vinyl film 150 µm with the look of etched glass; Castline-liner – cast-coated board 180 g/m <sup>2</sup>